

Dichiarazione

Già Direttore del **Servizio Educazione all'Appropriatezza e Medicina basata sulle Prove** di una grande Azienda Sanitaria pubblica italiana

Da **pensionato** lavoro **a titolo gratuito** e non ho conflitti di interessi da dichiarare.

Come Presidente della Fondazione **Allineare Sanità e Salute** dichiaro che la Fondazione si regge sul lavoro volontario e gratuito di Consiglio Direttivo, Comitato scientifico e autori delle pubblicazioni.

E che

non presenta conflitto, ma **allineamento** con gli interessi del SSN e della Salute della comunità dei cittadini. Ma verificate!

Alberto Donzelli – Presidente Consiglio direttivo
e Coordinatore Comitato scientifico della Fondazione
www.fondazioneallinearesanitaesalute.org

La CMSi chiede dal 2021 un confronto scientifico/istituzionale, ancora negato, ma...

Marcel de Graaff MEP
European Parliament
ASP 06E240
60, rue Wiertz / Wiertzstraat 60
B-1047 Brussels
Belgium

Email: marcel.degraaff@europarl.europa.eu

18 October 2023
EMA/451828/2023
European Medicines Agency

In realtà questi dati erano
chiari dall'agosto 2021...



Assenza di dati sulla trasmissibilità

Dear Honourable Members of Parliament Marcel de Graaff, Gilbert Collard, Francesca Donato,....
Thank you for your letter of 4 October 2023 in which you call for the suspension of the marketing authorisations of the mRNA COVID-19 vaccines Comirnaty and Spikevax.

....

You are indeed correct to point out that COVID-19 vaccines have not been authorised for preventing transmission from one person to another. The indications are for protecting the vaccinated individuals only.

The product information for COVID-19 vaccines clearly states that the vaccines are for active immunisation to prevent COVID-19. In addition, EMA's assessment reports on the authorisation of the vaccines note the lack of data on transmissibility.



[CDC Director Inadvertently Destroys Argument for Vaccine Passports By Surprisingly Saying Vaccines Do Not 'Prevent Transmission' \[VIDEO\] - NewsRescue.com](#)

CDC Director Inadvertently Destroys Argument for Vaccine Passports By Surprisingly Saying Vaccines Do Not 'Prevent Transmission' [VIDEO] By [NewsRescue](#) August 8, 2021 by [Chris Enloe](#)



*“That was the reason that **we changed our guidance last Tuesday,**”*

Walensky said. “Our vaccines are working exceptionally well. They continue to work well with delta with regard to severe illness and death. They prevent it.”

But what they can't do anymore is prevent transmission”, she added.

ANSA.it • Politica • **Mattarella, vaccinarsi un dovere civico e morale. Sottrarsi mette a rischio vite**

~~Mattarella, vaccinarsi un dovere civico e morale. Sottrarsi mette a rischio vite~~

Non si invochi la libertà per sottrarsi all'immunizzazione

Redazione ANSA

ROMA

06 settembre 2021

13:30

NEWS

Suggerisci

Facebook

Twitter

Altri

A+ A A-

Stampa



Settembre 2021

Care concittadine e concittadini italiani, prendo finalmente atto dell'annuncio di EMA (e dei CDC, agosto '21!) e **mi scuso infinitamente con tutti!** (e chiedo un'inchiesta su chi non ha avisato!)

Redazione ANSA

ROMA

13:30

NEWS

Suggerisci

Facebook

Twitter

Altri

A+ A A-

Stampa



Gennaio 2024?



Peggio...!

DOI: 10.1093/ofid/ofad209

Effectiveness of the Coronavirus Disease 2019 Bivalent Vaccine

Nabin K. Shrestha,^{1,2} Patrick C. Burke,² Amy S. Nowacki,^{3,4} James F. Simon,⁴ Amanda Hagen,⁵ and Steven M. Gordon¹¹Department of Infectious Diseases, Cleveland Clinic, Cleveland, Ohio, USA, ²Infection Prevention, Cleveland Clinic, Cleveland, Ohio, USA, ³Quantitative Health Sciences, Cleveland Clinic, Cleveland, Ohio, USA, ⁴Enterprise Business Intelligence, Cleveland Clinic, Cleveland, Ohio, USA, and ⁵Occupational Health, Cleveland Clinic, Cleveland, Ohio, USA

Su 51.000 lavoratori della [Cleveland Clinic, in Ohio](#) (USA), il **n. di dosi di bivalente** si associa con **maggior incidenza di reinfezione** (differenze altamente significative)

Come da tab. riprodotta, rispetto ai **non vaccinati** le **infezioni nei vaccinati con 1 dose sono doppie**, con **due dosi 2 volte e ½**, con **3 dosi oltre 3 volte...**

Da Table 2. Associazione con il tempo necessario per nuova diagnosi di COVID-19

N. di precedenti dosi di vaccino

Indice di rischio corretto
(e intervalli di confidenza al 95%)

Nessuna dose (riferimento)

1

1 dose

2,07 (1,30-2,24) → **+107%**

2 dosi

2,50 (2,19-3,17) → **+150%**

3 dosi

3,10 (2,63-3,77) → **+210%**

+ di 3 dosi

3,53 (2,70-4,23) → **+253%**

Un altro esempio: una [ricerca sull'Islanda](#) aveva già mostrato risultati analoghi.

ORIGINAL ARTICLE

E ora l'Austria...!

WILEY

Effectiveness of a fourth SARS-CoV-2 vaccine dose in previously infected individuals from Austria

Alena Chalupka¹ | Lukas Richter^{1,2} | Ali Chakeri^{1,3} | Ziad El-Khatib¹ |
Verena Theiler-Schwetz⁴ | Christian Trummer⁴ | Robert Krause⁵ |
Peter Willeit^{6,7,8}  | Bernhard Benka¹ | John P. A. Ioannidis⁹  | Stefan Pilz⁴ 



¹Institute for Surveillance & Infectious Disease Epidemiology, Austrian Agency for Health and Food Safety (AGES), Vienna, Austria

Questo studio osservazionale retrospettivo ha calcolato l'efficacia di una 4^a dose di vaccino COVID su quasi 4 milioni di austriaci con previa infezione da SARS-CoV-2, rispetto all'efficacia con 3 dosi.

Discussion: In previously infected individuals, a fourth vaccination was not associated with COVID-19 death risk, but with transiently reduced risk of SARS-CoV-2 infections and reversal of this effect in longer follow-up. All-cause mortality data suggest healthy vaccinee bias.





FIGURE 1 Age and gender adjusted hazard ratios (95% confidence intervals) of four versus less vaccine doses against SARS-CoV-2 infections shown for each month from November 2022 to June 2023. (A) Age and gender adjusted hazard ratios of four versus three vaccine doses. (B) Age and gender adjusted hazard ratios of four versus one or two vaccine doses. (C) Age and gender adjusted hazard ratios of four versus no vaccine dose.

New Report: Young People Dying of Cancer at 'Explosive' Rates, UK Government Data Show (da dati ONS)

An analysis of U.K. government data shows an unprecedented increase in cancer deaths among 15- to 44-year-olds following the rollout of COVID-19 vaccines, according to a new report by data analyst Edward Dowd. The

27/11/23, 09:56

New Report: Young People Dying of Cancer at 'Explosive' Rates, UK Government Data Show • Children's Health Defense



Credit: [Edward Dowd](#) - ex gestore di fondi speculativi di Wall Street

INTERVENTI

COVID-19 vaccination and all-cause and non-COVID-19 mortality. A revaluation of a study carried out in an Italian Province

Vaccinazione COVID-19 e mortalità per tutte le cause e non COVID-19.

Rivalutazione di uno studio condotto in una provincia italiana

Franco Berrino,¹ Alberto Donzelli,² Paolo Bellavite,³ Giovanni Malatesta⁴

¹ Department of predictive and preventive medicine, Fondazione IRCCS Istituto nazionale dei tumori (retired), Milan (Italy)

² President of Foundation "Allineare Sanità e Salute", Milan (Italy)

³ Department of Medicine, Verona medical school (retired), Verona (Italy)

⁴ Scientific Committee Foundation "Allineare Sanità e Salute", Pistoia (Italy)

Corresponding author: Alberto Donzelli; info@fondazioneallinearesanitaesalute.org

Keypoints

- **COVID-19 vaccination prevents specific mortality; well-planned population studies are needed to evaluate the overall effectiveness of vaccination programmes.**
- **A study carried out in the province of Pescara allows to illustrate the systematic errors that can influence these studies.**
- **First of all, it is discussed the lack of consideration of the immortal time bias, which overestimates the mortality of the unvaccinated, such as of those who have received only one/two vaccine doses. It is also discussed the confounding by indication bias, the healthy-vaccinees bias and the bias of not considering the evolution of risk over time.**


Al contrario di quanto gli autori dello studio originario credevano di aver trovato, correggendo solo il loro maggior errore metodologico, abbiamo documentato che a 1,5 anni di follow-up **i vaccinati non sono morti affatto meno dei non vaccinati!** E prolungando di soli 6 mesi →



Prof. G. Malatesta

Analisi univariata: confronto 1° studio e 2° studio

Rischio relativo di morte per tutte le cause nella provincia di Pescara, con i dati ricalcolati con i tempi-persona corretti



Nel confronto tra Rischi Relativi (RR), allungando il periodo d'osservazione **cresce il rischio di morte per tutte le cause per i vaccinati** vs i **non vaccinati** (linea azzurra).

I RR non tengon conto delle «covariate», cioè di altre variabili che possono incidere sull'esito, ma la popolazione è la stessa, e **la tendenza al peggioramento è chiarissima**.